



PRODOOR
SYSTEMS

ProCore™
Series



PREMIUM doors with
superior **THERMAL**
efficiency



Learn more at
www.prodoorsystems.com



ProCore™ Series

ProDoor is proud to offer the ProCore Series, a premium collection of garage doors in a variety of styles, all with superior thermal performance. Each model in this line features environmentally friendly ProCore polyurethane insulation with a durable steel exterior and woodgrain surface texture. Our ProCore Series doors also incorporate a modified joint seal that improves insulation and energy efficiency.



The ProCore Series achieves extraordinary thermal values and stability, due to its environmentally friendly CFC/HCFC free ProCore polyurethane interior. The manufacturing process provides uniform insulation, superior adhesion and boosts the strength of each door panel.



Each ProCore Series panel is equipped with a revolutionary door seal tongue and groove system. The EnviroSeal System prevents air and water infiltration, while providing unmatched section strength and integrity. The seal is equipped to keep dirt, bugs, wind, snow and water out of your garage. The bulb-shaped seal and aluminum retainer on each ProCore Series door increases strength on the bottom of the door.

All Doors Feature

- ProCore Insulation**
Continuous polyurethane insulated core of high density foam resulting in energy saving R-Values.
- Pre-painted Galvanized Steel Sheets**
High-strength, rust-resistant and available in up to 12 colors to match the beauty of your home. No additional material (eg. wood) is used on our doors.
- EnviroSeal Section Joint**
Modified tongue and groove joint moves the joint closer to the exterior of the door face to limit air and water infiltration, while providing unyielding section strength and integrity.
- Bulb Seal**
Prevents air leaks.
- Thermal Break**
Prevents heat transfer and air infiltration.
- Galvanized Steel Endcaps**
Heavy duty for additional strength.
- Arctic-Grade Bulb-Shaped Bottom Seal**
Rust resistant aluminum retainer that increases the strength of the bottom edge of the door.



CONTENTS

Traditional Doors

ProCore Classic Collection.....	4
ProCore Elite Collection.....	8

Modern Doors

ProCore Contemporary Collection.....	10
--------------------------------------	----

Carriage House Doors

ProCore Copleland Collection.....	14
ProCore Vineyard Collection.....	16
ProCore Vineyard XL Collection.....	18

Additional Resources

Decorative Insert Windows.....	6
Metal Insert Windows.....	7
Woodgrain Colors.....	13
Short & Long Panel Options.....	20
Short & Long Panel Options.....	21
Decorative Hardware Options.....	22
Warranty Information.....	23

ProCore Classic Collection



Traditional Style Garage Doors with Superior Insulation

Featuring

- 1 3/8" (R12) and 2" (R18) Section Thicknesses
- 8 Panel Styles Available
- 12 Color Options
- 20' x 14' Max Door Size



ProCore

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



EnviroSeal

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.



ProCore Classic 7400 Series

1 3/8" Thick Door

R12 R-Value

ProCore Classic 8400 Series

2" Thick Door

R18 R-Value

Panel Styles




Flush
Model 7422 or 8422




Plank
Model 7416 or 8416




Raised Ranch
Model 7411 or 8411



Raised Colonial
Model 7410 or 8410



Recessed Grooved Ranch
Model 7413 or 8413



Recessed Grooved Colonial
Model 7412 or 8412




Recessed Smooth Ranch
Model 7414 or 8414




Mixed
Model 8417
(not available in 7400 series)

Color Options



Woodgrain Colors



Please See Pages 6 and 7 for Window Options

422 and 416 panels styles are available in both woodgrain and stucco embossing. Iron Ore, Slate Grey and Café color options are not available in the 412 panel style. Honey Cedar and Cocoa Hickory Colors are only available in woodgrain embossing. See page 13 for more details. Colors displayed will vary from the actual steel Color. Contact your local ProDoor dealer for Color sample.

Decorative Inserts

Colonial windows not available in 7413 | 7414 | 8413 | 8414



Ranch Clear (42" wide x 14" high)



Stockton Colonial (19.5" wide x 14" high)



Waterton Ranch (42" wide x 14" high)



Colonial Clear (19.5" wide x 14" high)



Stockton Ranch (42" wide x 14" high)



Waterton Colonial (19.5" wide x 14" high)



Prairie Colonial (19.5" wide x 14" high)



Stockton Arch (42" wide x 14" high)



Cascade Colonial (19.5" wide x 14" high)



Prairie Ranch (42" wide x 14" high)



Stockbridge Arch (42" wide x 14" high)



Cascade Ranch (42" wide x 14" high)



Stockbridge Ranch (42" wide x 14" high)



Breckenridge (only available 16' - 20' wide)



Berkshire (only available in 16' - 20' wide)

Frame Color Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Woodgrain Frame Color Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Glass Styles



Clear

Satin

Obscure

Dark Tint

Black Satin

Metal Inserts

Window Style



Stockton 4 (19.5" wide x 14" high)



Stockton 6 (19.5" wide x 14" high)



Stockton 10 (42" wide x 14" high)




Prairie Colonial (19.5" wide x 14" high)




Prairie Ranch (42" wide x 14" high)

Insert Material




Round Bar

3/8" (10 mm) round bars available in pewter.



Square Bar

3/8" (10 mm) square bars available in black.



Aluminum Grid

5/8" (16 mm) grids available in Sandstone, Desert Tan, Almond, Bronze, Brown, Café, Slate Grey, White, and Black.

Frame Color Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Woodgrain Frame Color Options

Frame matching for all decorative inserts. Frames on the inside of the door are white.



Cocoa
Hickory

Honey
Cedar

Glass Styles



Clear



Satin



Obscure

ProCore Elite Collection



Traditional Style Garage Door with an XL Top Section Featuring 20% Larger Windows

Featuring

- 24" Top Section with Extra Large Windows
- 2" (R18) Section Thickness
- 7 Panel Styles Available
- 12 Color Options
- 18' x 14' Max Door Size



ProCore


Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.




EnviroSeal

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.

Panel Styles



Flush
Model 9422



Plank
Model 9416



Raised Ranch
Model 9411



Raised Colonial
Model 9410



Recessed Grooved Ranch
Model 9413




Recessed Grooved Colonial
Model 9412




Recessed Smooth Ranch
Model 9414

Color Options

Color options listed are for both doors and window frames. Frame matching for all decorative inserts. Frames on the inside of the door are white.



Woodgrain Colors



Window Options

Rectangle



Wrought-Iron



4-Over-4



4-Pane



Clear

Two-Piece Arch



Wrought-Iron



4-Over-4



4-Pane



Clear

Glass Styles



Obscure



Clear



Satin



Standard Window Sizing



ProCore Elite (20% Larger than a Standard Long Window)

9422 and 9416 panels styles are available in both woodgrain and stucco embossing. Iron Ore, Slate Grey and Café color options are not available in the 9412 panel style. Honey Cedar and Cocoa Hickory colors are only available in woodgrain embossing. See page 13 for more details. Colors displayed will vary from the actual steel color. Contact your local ProDoor dealer for color sample.

ProCore Contemporary Collection



Modern Style Garage Doors With Customizable Window Placements

Featuring

- 1 3/8" (R12) and 2" (R18) section thicknesses
- 2 Panel styles available
- 12 color options
- 3 window styles
- 20' x 14' max door size



ProCore

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



EnviroSeal

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.



ProCore Contemporary 7400 series

1 3/8" Thick Door R12 R-Value

ProCore Contemporary 8400 series

2" Thick Door R18 R-Value

Panel Styles




Flush
Model 7422 or 8422



Plank
Model 7416 or 8416

Color Options



Woodgrain Colors



Cocoa Hickory Honey Cedar

Flush and Plank panels styles are available in both woodgrain and stucco embossing. Honey Cedar and Cocoa Hickory Colors are only available in woodgrain embossing. Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

Contemporary Window Options

Standard



Colonial



Ranch

Aluminum



Clear



Smoke

Slim Aluminum and slim windows are only available on the 8400 contemporary models.



Single



Double

Glass Styles



Clear



Satin



Obscure




Dark Tint



Black Satin

Popular Contemporary Configurations:

Colonial




Single vertical left

Ranch




Single vertical left

Aluminum




Single vertical right


Slim




Single vertical left




Double vertical left




Single vertical right




Single vertical left




Single vertical right




Single vertical right



Single vertical middle




Double vertical right




Double vertical middle

Frame Color Options


Frame matching for all decorative inserts. Frames on the inside of the door are white.



Almond




White



Desert Tan



Sandstone



Brown



Bronze



Café



Black



Iron Ore



Slate Grey

Woodgrain Colors



Cocoa
Hickory



Honey
Cedar

Woodgrain Colors

ProCore's Woodgrain colors are crafted with cutting-edge high-definition digital print technology to replicate the timeless beauty of real wood.

New colors are available in the following models: ProCore, ProCore Elite and ProCore Contemporary. These new colors are offered in two designs:

Dual-Directional Design

Available in these panel styles:

- Model 411
- Model 410
- Model 413
- Model 412
- Model 417 (only available in 8417)

Plank Design


Available in these panel styles:

- Model 422

Cocoa Hickory



Dual-Directional Design




Plank Design

Honey Cedar



Dual-Directional Design



Plank Design

ProCore Copeland Collection



Carriage House Style Door Featuring Inlay Patterns and Extra Large Windows

Featuring

- 24" Top Section With Extra Large Windows
- Recessed Smooth Ranch Sections and Carriage House Inlays
- 2" (R18) Section Thickness
- 5 Panel Styles
- 9 Color Options
- 18' x 12' Max Door Size



ProCore

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



EnviroSeal

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.




ProCore Copeland

2" Thick Door

R18 R-Value


Panel Styles



A-Buck



V-Buck



X-Buck



Bi-Fold



Swing

Color Options

Color options listed are for both doors and window frames. Frame matching for all decorative inserts. Frames on the inside of the door are white.




Almond White Desert Tan Sandstone Brown Bronze Café Black Slate Grey

Window Options 43.5" wide x 17" high

Rectangle



Wrought-Iron



4-Over-4



4-Pane




Clear

Two-Piece Arch



Wrought-Iron



4-Over-4



4-Pane



Clear

Glass Styles



Obscure



Clear



Satin



Standard Window Sizing



ProCore Copeland (20% Larger than a Standard Long Window)

ProCore Vineyard Collection



Carriage House Style Door With with Flush Section and Fibrex® Overlay Boards

Featuring

- Flush door section with Fibrex® Overlay Boards for a Carriage House appeal
- Overlay Boards have Beveled Edges and Mitered Corners
- 1 3/8" (R12) Section Thickness
- 6 Panel Styles
- 2 Overlay Board Colors
- 16' x 10' Max Door Size



ProCore

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



EnviroSeal

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.



ProCore Vineyard

1 3/8" Thick Door

R12 R-Value

Panel Styles



A-Buck

V-Buck

X-Buck

Swing

Bi-Fold

Double Bi-Fold

Color Options



Almond

White

Desert Tan

Sandstone

Brown

Bronze

Overlay Board Options



Sandstone

White

Window Options



One Pane



Three-Over-Three Pane



One-Pane Arched



Three-Over-Three Arched



Three Pane

Glass Styles



Clear

Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

ProCore Vineyard XL Collection



Three-Section Carriage House Style Door Featuring Fibrex® Overlay Boards

Featuring

- 3-Section flush door section with Fibrex® Overlay Boards for a Carriage House appeal
- Overlay Boards have Beveled Edges and Mitered Corners
- 2" (R18) Section Thickness
- 6 Panel styles
- 1 Color option
- 2 Overlay Board Option
- 16' x 10' Max Door Size



ProCore

Higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



EnviroSeal

Includes our section joint, dual fin triple contact weather seal and arctic grade bulb shaped bottom seal with a dual contact aluminum retainer.



ProCore Vineyard XL

2" Thick Door

R18 R-Value

Panel Styles




A-Buck



V-Buck



X-Buck



Swing



Bi-Fold



Double Bi-Fold

Color Options




White

Overlay Board Options



Sandstone



White

Window Options



One Pane



Three-Over-Three Pane



One-Pane Arched



Three-Over-Three Arched



Three Pane

Glass Styles




Clear

Colors displayed will vary from the actual steel color. Contact ProDoor Manufacturing for color sample.

Short Panel Chart

Sizes Available


4'2" - 5'11"



6'0" - 7'10"



7'11" - 9'10"



9'11" - 11'10"




11'11" - 13'9"



13'10" - 15'9"




15'10" - 18'11"



19'0" - 19'7"




19'8" - 20'2"



4'2" - 7'10"




7'11" - 11'10"



11'11" - 15'9"



15'10" - 19'7"



19'8" - 20'2"




Long Panel Chart

Sizes Available


Short Carriage House Panel Chart

Sizes Available


8'0" - 11'11"



12'0" - 15'11"




16'0" - 20'2"




Long Carriage House Panel Chart

Sizes Available


8'0" - 11'11"



12'0" - 15'11"



16'0" - 20'2"



Decorative Hardware



16" Cast Iron Spear Hinge Assembly



16" Cast Iron Spear Hinge



16" Stamped Spade Hinge



16" Cast Iron Colonial Hinge



Keyed + Dummy Spade L-Handle



Keyed + Dummy L-Handle



Cast Iron Colonial Pull Handle



Cast Iron Spear Pull Handle



Arched Cast Iron Fleur-De-Lys Pull Handle



Stamped Spade Pull Handle



Cast Iron L-Handle Long Dummy Handle



Cast Iron Fleur-De-Lys Dummy Handle



Cast Iron Colonial Lift Handle



Cast Iron Spear Lift Handle



Cast Iron Fleur-De-Lys Lift Handle



Stamped Spade Lift Handle



Cast Iron Lion's Head Door Knocker



Cast Iron Fleur-De-Lys Door Knocker



Cast Iron Door Studs

Magnetic Hardware



Manor Collection



Colonial Collection



Mission Collection



ProCore Series Warranty

ProDoor warrants door sections against deterioration due to “rust through” and/or “delamination” and all hardware components. See below for details used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for as long as the original purchaser owns the home;
- Trim boards on Copeland, Vineyard & Vineyard XL door systems are warranted against delamination for a period of five (5) years.
- Standard Hardware components are warranted for three (3) years. Standard Hardware Plus hardware components are warranted for as long as the original purchaser owns the home.

Springs

ProDoor warrants all spring assemblies used in the door system against defects in material and workmanship as follows:

- In residential single-family installations, for a period of three (3) years from the date of delivery to the original purchaser.

Glass

ProDoor warrants its sealed glass windows for five years from the time of purchase against the formation of condensation within the sealed unit. ProDoor will only replace the windows if there is a seal failure. Broken or cracked glass is not covered by any warranty. This warranty does not cover windows or window parts that have been removed from an initial installation and reinstalled in any structure.

Painting

Your ProDoor residential garage door is already protected with a long-lasting finish. No additional painting is required. ProDoor will not warrant any instances of rust, blistering or delamination if third-party paint is applied after purchase.



PRODOOR SYSTEMS



LOCATIONS

3810 Plainfield Rd, Indianapolis IN, 46168 • 317-839-3050

4670-A Interstate Drive, Cincinnati OH, 45246 • 513-645-1290

1649 Joe B Jackson Parkway A1, Murfreesboro TN, 371278 • 615-558-2030

1900 W 65th Street Ste 12, Little Rock AR, 72209 • 501-534-9001

10401 Miller Road Ste 400, Dallas TX, 75238 • 214-276-0790



Learn more at

www.prodoorsystems.com